



A Division of HON INDUSTRIES  
Muscatine, Iowa

**INITIATE™ PANEL SYSTEM**

**INITIATE OVERHEAD STORAGE AND TASK LIGHTS**

<u>Model#</u>	<u>Dimensions</u>
<b>Storage Cabinet w/Flipper Door &amp; Lock</b>	
NSC24DL	24"W X 14-1/4"D X 16"H
NSC30DL	30"W X 14-1/4"D X 16"H
NSC36DL	36"W X 14-1/4"D X 16"H
NSC42DL	42"W X 14-1/4"D X 16"H
NSC48DL	48"W X 14-1/4"D X 16"H
NSC60DL	60"W X 14-1/4"D X 16"H

\*Optional fabric-covered flipper doors. Fabric is listed in your pricer. Specify "FL" suffix instead of "DL" suffix on your model when ordering (Ex.NSC24FLCE.18P)  
Fabric upcharge is \$44 List for 24"W-48"W models, \$88 list for 60"W Model\*

- ✓ Storage cabinets with doors are standard with a factory installed core removable lock located on the underside of the cabinet
- ✓ Width of the storage cabinet must correspond with the width of the panel behind it
- ✓ All units feature an anti-dislodgement device
- ✓ 60" units are a one piece cabinet with two doors
- ✓ Storage cabinets are shipped pre-assembled
- ✓ Keyed alike cores must be ordered separately

**Open Half-height Bookshelves**

NOS24	24"W X 13-1/4"D X 8"H
NOS30	30"W X 13-1/4"D X 8"H
NOS36	36"W X 13-1/4"D X 8"H
NOS42	42"W X 13-1/4"D X 8"H
NOS48	48"W X 13-1/4"D X 8"H
NOS60	60"W X 13-1/4"D X 8"H

- ✓ Bookshelves are shipped pre-assembled
- ✓ Features an anti-dislodgement mechanism
- ✓ Width of the bookshelf must correspond with the width of the panel behind it
- ✓ Ledge on rear of shelf to prevent paper from falling behind

## Shelf Dividers

38SHFDV Shelf dividers—package of 6

- ✓ Specify paint color when ordering
- ✓ Can only be used on 38000 stack-ons manufactured after 7/3/2000

## Task Lights

H870924	18-3/8"W X 6-7/8"D X 1-5/8"H-for 24"W Storage Cab.
H870924E	18-3/8"W X 6-7/8"D X 1-5/8"H-With electronic ballast
H870924CH	18-3/8"W X 6-7/8"D X 1-5/8"H-Chicago code version
H870930	24-3/8"W X 6-7/8"D X 1-5/8"H-for 30" & 36"W Stor. Cab
H870930E	24-3/8"W X 6-7/8"D X 1-5/8"H-With electronic ballast
H870930CH	24-3/8"W X 6-7/8"D X 1-5/8"H-Chicago code version
H870942	36-3/8"W X 6-7/8"D X 1-5/8"H-for 42" & 48"W Stor. Cab
H870942E	36-3/8"W X 6-7/8"D X 1-5/8"H-With electronic ballast
H870942CH	36-3/8"W X 6-7/8"D X 1-5/8"H-Chicago code version
H870960	48-3/8"W X 6-7/8"D X 1-5/8"H-for 60"W NOS units only
H870960E	48-3/8"W X 6-7/8"D X 1-5/8"H-With electronic ballast
H870960CH	48-3/8"W X 6-7/8"D X 1-5/8"H-Chicago code version

- ✓ Task lights are available in black only
- ✓ They mount recessed under storage unit and shelves with spring steel clips
- ✓ Bulbs are included, as well as a 9-foot black power cord and power switch in the right rear corner
- ✓ 2 lights (H870930) can be mounted under 60"W storage cabinet models NSC60DL or NSC60FL

## Panel Hung Task Lights – For Initiate Use Only

NTLPH24	23"W X 6-5/16"D X 1-1/4"H
NTLPH24CH	23"W X 6-5/16"D X 1-1/4"H-Chicago code version
NTLPH36	34-3/4"W X 6-5/16"D X 1-1/4"H
NTLPH36CH	34-3/4"W X 6-5/16"D X 1-1/4"H-Chicago code version
NTLPH48	46-5/8"W X 6-5/16"D X 1-1/4"H
NTLPH48CH	46-5/8"W X 6-5/16"D X 1-1/4"H-Chicago code version
NTLPH60	58-3/4"W X 6-5/16"D X 1-1/4"H
NTLPH60CH	58-3/4"W X 6-5/16"D X 1-1/4"H-Chicago code version

- ✓ Adjusting brackets allow attachment to the same size or smaller panels

- ✓ Mounting recommendations are 14"-17"H above worksurface
- ✓ Not to be used as a shelf or transaction surface
- ✓ Sleek, low profile design
- ✓ Attaches to Initiate™ panels via slots
- ✓ Specify color when ordering (S-Charcoal, Q-Light Gray or V-Tan)

### **Panel Hung Task Light**

N8283I                      27" of horizontal reach

- ✓ Standard with a 13 watt bulb
- ✓ Detachable plug in ballast
- ✓ Four adjustment points
- ✓ Available in Black only
- ✓ Hangs on Initiate™ panels only, can not be used freestanding
- ✓ Linear prismatic lens minimizes glare