

Article	
DISHWASHER	
906111870	
LFA-073SS	
8413880142319	
Brand	FAGOR
Specification Sheet	CE-06336
Supplier Del.	

0-AESTHETIC	
Built-in / Free-standing	INTEGRABLE TOTAL
CONTROL PANEL TYPE	INTEGRABLE TOTAL
·Color / Material panel	NEGRO /A.B.S. ( V.O.)
CONTROL PANEL EMBELLISHER	POLICARBONATO
DOOR TYPE	INTEGRABLE TOTAL
Color / Material body	INOX. / CHAPA ACERO INOXIDABLE
Door panel options	NO
·COLOR / MATERIAL LATERAL PANELS	GALVANIZADOS
Removable top	SIN ENCIMERA
Color / Material top	NO
·KICK PLATE COLOUR	I2 LOOK-INOX TAPA (INTRODUCIR DENTRO DEL LAVV)
Progressindicator	NO
ON /OFF BUTTONS	NEGRO
REST OF BUTTONS	NEGRO
BUTTONS TYPE	INNOVA AIS INTEGRABLE TOTAL
10- GENERAL FEATURES	
OPERATING TYPE	ELECTRONICO
ECOSENSOR	YES
ALTERNATIVE WASH	YES
ELECTRONIC REGENERATION	NO
·TIPO DE SECADO	SECADO PERFECT
HOME AUTOMATION READY	NO
MICROFILTER	AUTOLIMPIANTE CUADRUPLE INOXIDABLE
·INTERFERENCE CONDENSOR	NO
THIRD SPRINKLER	YES
LID INTERNAL DUCT	NO
THIRD SPRAYER	NO
Length outlet hose (cm)	NORMAL (1700MM)
Water softener	NO
WATER SOFTENER	NO
DETERGENT TYPE	NO
Tub material	ACERO INOXIDABLE
·BUILT-IN TEMPLATE	YES
BUILT-IN BAG	SI
·VARIABLE CONSUMPTION	SI
Interior light	NO
Child saftety devices	NO
Maximum temperature for water intake (°C)	60°C
Back adjustable feet from front	YES
USA PANEL MOULDING	YES
ACCESORIES BAG KICKING PLATE LID	YES

11- PROGRAMMING	
Number of programmes	8
Number of different wash temperatures	5
NUMBER OF KEYS	3
Reference programme	-
PRE-WASH PROGRAMME	SI
NORMAL PROGRAMME	NO
Intensive programme	155° F
ECONOMICAL PROGRAMME	150° F
Quick wash	130° F
UPPER EXPRESS PROGRAMME	105° F
AUTOMATIC PROGRAMME	130° - 150° F
MIXED PROGRAMME	130° F
DELICATE WASH PROGRAMME	NO
SUPER INTENSIVE	161° F
12- OPTIONS	
Single basket washing	NO
Start delay options	DISPLAY
DUO ZONE	TECLA
13- CONTROLS	
Salt light indicator	NO
Rinse aid light indicator	PILOTO
End of cycle indicator	DISPLAY CON SEÑAL ACUSTICA
ON/OFF	TECLA
IN OPERATION PILOT	NO
Digital countdown indicator	DISPLAY
OPTIONS	LED
14- BASKETS	
COLOR CESTILLOS	GRIS ANTRACITA
Adjustable upper basket	K / AUTO+2 ABAT+2 ABAT+VARILLA VASOS+ 2
SOPORTES ABATIBLES TAZAS	4 SUPERIOR
SOPORTES ABATIBLES VASOS/COPAS	SI
GUIA TELESCÓPICA	SÍ
SOPORTE CUBERTERÍA LARGA	SÍ
07-CESTILLO INFERIOR	
LOWER BASKET	D / ANTRACITA/ CESTILLO INF. ABATIBLE+PORTC 1/2 C
CONJ. PORTACUBIERTOS 1/2 CARGA	SI
15- SAFETY	
Hidden heating element	YES
Water protection system	YES
ANTI-FLOODING	YES
AQUA CONTROL	YES
ANT-WATER RETURN	YES
Length inlet hose (cm)	CALIENTE (1450MM)
HEATING SAFETY	DOBLE
Plug type	U.S.A.
16- ENERGY CARD	
Energy efficiency class	-
Cleaning performance	-
Drying performance	-
Noise level (dB(A) re 1 pW)	45
SOUND POWER (DBA) FOR ENGINEERING	48
Number of place settings	12
SAFE ELECTRIC HANDLING LABEL	ENERGYGUIDE (USA) - ENERGUIDE (CANADA)
NAME OF ENERGY LABEL	ENERGYGUIDE (USA) - ENERGUIDE (CANADA)

18- LOGISTIC INFORMATION	
Adjustable plinth	NO
Adjustable feet	MAX. 70
Height without worktop (mm)	830
Wide without worktop (mm)	595
Deep without worktop (mm)	545
·Height with worktop (mm)	NO
·Width (mm)	-
·Depth (mm)	-
TRV MEASUREMENT	80X60
DEPTH ADJUSTABLE KICKING PLATE 40/130 MM	YES
·Dimensions of the packed product (mm)	870
·WIDTH OF THE PACKED PRODUCT (MM)	655
·DEPTH OF THE PACKED PRODUCT (MM)	665
·MAXIMUN STORAGE LEVEL	5
Gross weight (kg)	47
·LOGISTICS VOLUME (M3)	0,525
·VOLUME OF THE PACKED PRODUCT (M3)	0,379
Net weight (kg)	44
·DELIVERY UNIT	1
17- TECHNICAL DATA	
·VOLTAGE (V)	120
·FRQUENCY (HZ)	60
·HEATING ELEMENT POWER (W)	1300 W
·Connection rating (W)	1360 W
·Current (A)	12 A
·Water consumption (l)	14 L
Energy consumption (kWh)	1,51 KWH
·Total cycle time of reference programme (min)	95 MIN
·Total annual water consumption (l)	3080 L
Total annual energy consumption (kWh)	326 KWH (215 CICLOS)
19- OFFICIAL APPROVAL	
Approval certificates	ETL
MADE IN	MADE IN E.U.
TYPE	3079523
20- DOCUMENTATION	
·USER AND INSTALLATION INSTRUCTIONS	FAGOR USA (IT)
·GUARANTEE CONDITIONS	NO
·GUARANTEE CARD	NO PRECISA
·AFTER SALES SERVICE DIRECTORY	NO PRECISA
·NAME OF RATING PLATE	USA
PACKAGING LABEL NAME	FAGOR
·USA AFTER SALES INFORMATION LABEL	YES
·DOMESTIC USA LABEL	YES
FAILURE MODE LABEL	YES
·HOJA INSTRUCCIONES MOLDURA PANEL USA	YES
·ETIQUETA AQUA-DUR/ COLOCACION VAJILLA	YES
21- LANGUAGES	
SPANISH	YES
FRENCH	YES
ENGLISH (USA)	YES
15-REQUISITOS CLIENTE	
·ZOCALO INOX U.S.A.	X4 ZOCALO INOX INTRODUCIR
16-FABRICACION	
·AISLANTE IZQUIERDO	D2
·AISLANTE MESETA	F4
·PUERTA	B9