


Type _____
-10
P7353

Catalog No.	Finish	Lamping	Dimensions (Inches)	
	Polished Brass		A	B
P7353	-10	2-13w Twin CF	12-1/2	7-1/4



Specifications:

General

- White glass
- Center lock up pulls glass tight to ceiling pan
- Polished Brass pan and accents
- Steel pan

Electrical

- 120V HPF ballast
- GX23 base lamps
- Pre-wired

Labeling

- UL-CUL listed

Mounting

- Ceiling mount
- Covers outlet box
- Outlet box mounting strap included
- Keyhole slots for easy fixture mounting




Compact Fluorescent

White Glass Bowl
Energy Star

Close-to-Ceiling

Type _____
-10STRWB
P7353

Catalog No.	Finish	Lamping	Dimensions (Inches)	
	Polished Brass		A	B
P7353	-10STRWB	2-13w Twin Quad CFL	12-1/2	7-1/4



Specifications:

General

- White glass
- Center lock up pulls glass tight to ceiling pan
- Polished Brass pan and accents
- Units comply with Energy Star requirements
- Steel construction

Electrical

- Pre-wired
- 120v NPF electronic ballast
- G24q-1 sockets

Labeling

- UL-CUL listed

Mounting

- Ceiling mount
- Fixture housing covers a standard 4" octagonal recessed outlet box
- Mounting strap for outlet box included
- Keyhole slots for easy fixture mounting



Progress Lighting
Post Office Box 5704
Spartanburg, South Carolina
29304-5704

www.progresslighting.com