

General Product Information:

| | | | | | | |
|-------------------|---|--------------------|---|-------------|-------|---------|
| Item No.: | LSM2825PS | Item Family: | LSM - Millennium | | | |
| Item Class: | Pendant, Down | Suggested Room(s): | <table border="1"> <tr><td>Dining Room</td></tr> <tr><td>Foyer</td></tr> <tr><td>Kitchen</td></tr> </table> | Dining Room | Foyer | Kitchen |
| Dining Room | | | | | | |
| Foyer | | | | | | |
| Kitchen | | | | | | |
| Base Material: | Steel | Energy Star Rated: | No | | | |
| Other Materials: | | | | | | |
| Finish: | PS - Pewter Plated Pewter Plated Steel | | | | | |
| Item Description: | Reflect your personal sense of style within your home with this classic lighting fixture. The soft modern, modular form reflects pure elegance and sophistication, and is designed and crafted with the utmost care. Other coordinating fixtures are available. | | | | | |

Dimensional Information:

| | | | | | |
|---------------------|--|---|---|--------|------------|
| Height(H): | 54.00 " | ADA compliant: | No | | |
| Length(L): | " | CUL listed: | Yes | | |
| Diameter(D): | 24.50 " | CUL rated for: | Incandescent DRY ONLY | | |
| Width(W): | " | Instruction sheet: | <table border="1"> <tr><td>IS-354</td></tr> <tr><td>IS-LSM2825</td></tr> </table> | IS-354 | IS-LSM2825 |
| IS-354 | | | | | |
| IS-LSM2825 | | | | | |
| Depth(Dp): | " | Note: Copies of assembly / installation instruction sheets are available for download from our website. | | | |
| Extension(Ext): | " | | | | |
| Net weight: | 15.00 lbs. | | | | |
| HCWO: | " Please note that the HCWO dimension represents the distance from the wall outlet box center to highest point of mounted product. | | | | |
| Canopy / Backplate: | 6"D | | | | |

Electrical Information:

| Socket Type | Wire Length | Switch Type | Voltage | Bulb Type | Bulb Wattage | Socket/ Bulb Qty | Bulb Supplied |
|---------------|-------------|-------------|---------|------------|--------------|------------------|---------------|
| MED BASE PORC | 10 Feet | None | 120vAC | A19 MED | 100 | 3 | No |

Shade Information:

| Shade Number | Shade Type | Material | Meas. A | Meas. B | Meas. C | Meas. D | Meas. E | Glass Count | Stem Height | Description |
|--------------|------------|----------|---------|---------|---------|---------|---------|-------------|-------------|-----------------|
| S1051PA | Round | Fabric | 18.00 | 24.50 | 10.00 | | | | | Parchment Shade |

Meas. Key: A) Top dia. (Round, Drum, Oct), Top Flat to Flat (Hex), Minor axis (Oval), Top short side (Rect / Sq. Cut Corner), Top (Sq. Cut Corner) | B) Bottom dia. (Round, Drum, Oct), Bottom Flat to Flat (Hex), Major axis (Oval), Top long side (Rect / Sq. Cut Corner), Bottom (Sq. Cut Corner) | C) Side (Round, Drum, Hex, Oct, Sq. Cut Corner), Bottom minor axis (Oval), Bottom Short side (Rect / Sq. Cut Corner) | D) Bottom major axis (Oval), Bottom long side (Rect / Sq. Cut Corner), Side (Rect / Sq. Cut Corner, Oval).

Shipping Information:

| Pack Type | Pack Length | Pack Width | Pack Height | Gross Wgt | Girth | Cube | Pack QTY | Dim Wgt |
|------------------------|-------------|------------|-------------|-----------|-------|------|----------|---------|
| Individual Reshippable | 27.00 | 27.00 | 16.00 | 17.00 | 86.00 | 6.75 | 1 | 43 |

Replacement Parts Information:

| Part Number: | Description: | Qty: |
|--------------|-------------------------------|------|
| 12825PSLSM | BASE PEWTER PLATED LSM2825PS | 1 |
| G135DI | DIFFUSER GLASS 23.5"D | 1 |
| 9187KIT | MTG HDWR/CANOPY PEWTER PLATED | 1 |
| 9008EXPS | ROD PEWTER PLTD 12" EXTENSION | 2 |
| 9007EXPS | ROD PEWTER PLTD 6" EXTENSION | 2 |
| S1051PA | SHADE PARCHMENT FOR LSM2825PS | 1 |

Note: Replacement parts are available by contacting our customer service department or your Quozel Authorized dealer.

Mounting Hardware:

Supplied chain:

Mounting Hardware

(1) CROSSBAR, (1) GREEN GROUND SCREW, (2) MOUNTING SCREWS, (2) LOCK WASHERS, (2) LOCK NUTS, (1) LAYNARD, (1) LOCK NUT, (1) LOCK WASHER, (1) FLAT WASHER, (1) CANOPY, (1) SWIVEL, (2) LOCK BALLS

Product Photo:

